Receiving Report Date: Batch No. M Supplier: / Dart P/O: Packing Slip: Yes Release Note Attached: Yes No-N/A Invoice Yes No L Waybill Attached: Yes Receipt: Cash Shipment Complete: No N/A QC6 Inspection Work Order Discrepancies 9-80 **Part** antity Quantity Quantity Quantity Description Number Comments dered Received Returned Short Initials of receiver (if shipment OK) Level 12 Production/Admin: Date Location Received/Costing Initial

Purchase Order Receipt Listing

Wednesday, July 17, 2013 11:01:22 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO20534 Receipt Dates from 7/17/2013 to 7/17/2013 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M		Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
VendorID\Ven	idor Nam	e VU-	TWM001 TW Me	tals								. •
PO20534	1		M6061T6T0.3125W. 058	f		7/18/2013	7/17/2013	204.0000	\$2.50	0.0000	0	\$510.00
USD	No		ALUM TUBE .3125 x .058w m126349	f		200.0000	DESJ02		\$510.00	0.0000	0	
	2		M304TR0.750W.049	f		7/18/2013	7/17/2013	160.0000	\$2.25	0.0000	0	\$360.00
	No		304 RD Tube .750 x .049W m126349	f		160.0000	DESJ02	×ay.	\$360.00	0.0000	0	
									r	Total Received Q	uantity:	364.0000
							•		Total	Qty to Inspect (P	O U/M):	0.0000
										Total Reject Q	uantity:	0.0000
					·					Total Receip	t Value:	\$870.00
									Tot	al Balance Due Q	uantity:	0.0000





PACKING SLIP

ORDER NO.: 60512030 FROM: CRAN PAGE 1

CUST NUMBER: 1203820 NET WGT:

SOLD TO:

69.813 REQ.DATE: 07/18/13 CONFIRMED

SHIP TO:

DART AEROSPACE LTD 1270 ABERDEEN ST

HAWKESBURY ON CANADA

CN K6A 1K7

DART AEROSPACE LTD

1270 ABERDEEN ST

HAWKSBURY ON

ONTARIO CANADA

CN K6A 1K7

SALESPERSON: DONNA SMALLEY

TERMS:

NET 30 DAYS

F.O.B.:

SHIPPING POINT

CUST ORD NO.: PO20534

SHIP BY:

07/12/13

VIA:

COMMON CARRIER

FREIGHT:

PREPAID

RELEASE NO.:

RECEIVING PHONE:

WIDTH LENGTH

LINE ITEM DESCRIPTION

0001 41723 D6061-T6 5/16 OD X .058 WA QTY: 204.000 FT WT: 11.138 PC: 17 SHP: 204.000 FT

PART#: M6061T6T0.3125W.058

** 1 TEST REPORTS REQUIRED **

** 1 CERTS REQUIRED **

ECCN: EAR99 Export License: NLR Expiration Date: 0/00/00

PO: 49292882 HT: 29478553) PC: 17 SLB/CL: 216642 MFG:UNITED STATES

36860 SMLS CD 304/L A269 3/4 OD X .049 WA 17/24 FT QTY: 160.000 FT WT: 58.675/PC: 8 SHP: 160.000 FT 0002 36860 SMLS CD 304/L A269 3/4 OD X .049 WA

PART#: M304TR0.750W.049

** 1 TEST REPORTS REQUIRED **

** 1 CERTS REQUIRED **

ECCN: 2B999.g Export License: NLR

Expiration Date: 0/00/00

PO:49273966 HT: (T20919) PC: 1 SLB/CL:2012-03-007-B

MLT:CHINA MFG:CHINA PO:49285468 HZ:YX1203506 PC: 7 SLB/CL:1-58

AREA TYPE OF PKG

CARTON "

MLT:CHINA MFG:CHINA

----- PACK INFO ------

1.000

PKGS GRS WEIGHT WIDTH 79.000

LENGTH HGHT

CARTON В

1.000

20,6000

12.6000

BY: KG

2.000 79.000

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE OF THESE PRODUCTS ARE SET FORTH ON THE REVERSE SIDE FOR YOUR CAREFUL REVIEW.





PACKING SLIP

ORDER NO.: 60512030 FROM: CRAN

PAGE 2

CUST NUMBER: 1203820

SOLD TO:

DART ÄËROSPACE LTD 1270 ABERDEEN ST

HAWKESBURY ON

CANADA

CN K6A 1K7

NET WGT:

SALESPERSON:

TERMS:

DONNA SMALLEY NET 30 DAYS

F.O.B.:

SHIPPING POINT

CUST ORD NO.:

P020534

LINE ITEM DESCRIPTION

RT 000-

69.813 REQ.DATE: 07/18/13 CONFIRMED

SHIP TO:

DART AEROSPACE LTD 1270 ABERDEEN ST

HAWKSBURY ON

ONTARIO CANADA

CN K6A 1K7

SHIP BY:

VIA:

07/12/13

PREPAID

COMMON CARRIER

FREIGHT: RELEASE NO.:

RECEIVING PHONE:

WIDTH

LENGTH

UNLOAD TYPE: NONE SPECIFIED

DATE SHIPPED

DATE FILLED

TERMS AND CONDITIONS APPLICABLE TO THE SALE OF THESE PRODUCTS ARE SET FORTH ON THE REVERSE SIDE FOR YOUR CAREFUL REVIEW.





PACKING SLIP

ORDER NO.: 60512030

FROM: CRAN

PAGE 3

CUST NUMBER: 1203820 NET WGT:

SOLD TO:

DART AEROSPACE LTD 1270 ABERDEEN ST HAWKESBURY ON

CANADA

CN K6A 1K7

69.813 REQ.DATE: 07/18/13 CONFIRMED

SHIP TO:

DART AEROSPACE LTD 1270 ABERDEEN ST

HAWKSBURY ON

ONTARIO CANADA

CN K6A 1K7

SALESPERSON:

DONNA SMALLEY NET 30 DAYS

TERMS: F.O.B.:

SHIPPING POINT

CUST ORD NO.:

.: PO20534

VÎA: FREIGHT: COMMON CARRIER

PREPAID

RELEASE NO.:

RECEIVING PHONE:

SHIP BY:

07/12/13

27 ENGLEHARD DRIVE

MONROE TWP

NJ 08831

"TW Metals MSDS data is available on our web site at www.twmetals.com. MSDS data can be found under the Technical Resources Tab, Product Statistics & Data and the TW Metals MSDS's heading. If you do not have web site access you may telephone 610-458-1300 and we will mail or fax a copy of our current MSDS data to your location."

"CERTIFICATE OF CONFORMANCE"

"TW Metals certifies that the material supplied on this purchase order and contained in the heat/lot number referenced above has been manufactured, inspected, and tested in accordance with the material specification. These records are on file at TW Metals. Packaging material for shipments to Europe and China consists of manufactured wood products and complies with the European emergency measures for coniferous non-manufactured wood packing material"

Authorized Test Report Clerk

Date:

7/17/13

These commodities have been exported from the United States in accordance with the U.S. export control laws, export administrations regulations. Diversion contrary to U.S. law prohibited.



PRECISION TUBE CO.

Control No: 163412

287 WISSAHICKON AVE. NORTH WALES PA 19454

CERTIFIED TEST REPORT

CUSTOMER	PURCHA	SE ORDER	NO. CUST.	ORD. NO.	T	PRECISION	I TUBE P/N				
		INE 002		6642		24A031250580005					
	'O 27 MOI	METALS ENGLEHARD NROE TWP, 1 ITED STATES	J 08831	1	IP: TO	TW METALS 27 ENGLEHARD MONROE TWP, N UNITED STATES	IJ 08831				
QUANTITY	ORD.	DESCRIP'	rion			TY. SHIPPED	DATE SHIPPED				
2196	5 FT	METAL - 60 TEMPER - 3 SPEC - AMS ASTM-B- LENGTH - 1 LGTH TOL SHAPE - RO FINISH - 8 OD .312	061 ALUM 061 ALUM 061 4082P 072 210-12 AMS-WW- 072 22 FT 074 1250 IN00 075 21 ALUM 075	DOO IN	5	3/07/18	05/24/13				
			MECHANICAL	PROPERTI							
SAMPLE #	៖ នា	ENSILE RENGTH '.S.I.)	YIELD STRENGTH (P.S.I.)	ELONGATI IN 2 INCH (%)		ROCKWELL HARDNESS	AVERAGE GRAIN SIZE (MM.)				
1		16,420	41,461	18							
			DESTRUCT	IVE TESTS			<u> </u>				
			DFARS BAA COMP	LIES, FAR '	TAA	COMPLIES					
EDDY CURI	RENT: F	ASS									
ALLOY: 6	Si	HEAT: Fe Cu	RAW MATI Mn Mg	BILITY #:	294	78553 & Kaiser A	Luminum				
Min	0.40	0.1	5 0.80	0.04		Rem.					
Max	0.80 OTHE	R ELEMENTS	0.05 MAX EACH	0.35 0.25 / 0.15	MAX	.15 TOTAL					
Ve hereby certify the	at the mater	ial has been manufa	ctured and tested in accordar	nce with the require	ments :	of the applicable specification	ne and descriptions set forth				

on Precision Tube's sales acknowledgement. During the manufacturing, testing and inspection, the product did not come into direct contact with mercury or any of its compounds, nor with any mercury containing device employing a single boundry containment. Test results indicate that the material is compliant with the current revision of the RoHS Directive (2002/95/EU).

Manufactured in the USA QMS Registered to ISO 9001: 2008 Art Onaitis

05/24/13

QA Manager



SHANGHAI CRYSTAL PALACE PIPE CO.,LTD

INSPECTION CERTIFICATE

ISO9001:2008; PED Material CERTIFICATE (No.:QAC0021058/A)

L'O'M	U.: M 49	273966	I CORPORATI	or or mar	ERICA, IN	<u>. </u>				CERT	IFICATE N	IO. :2012-	3-7-B-6	- 6
COM	MODITY	STAINL	ESS STEEL	TUBE.		·				ORDE	R NO.:2	012-03-00)7-B	1 2
COND	OITION: (COLD FINI	SH / SOLUTION T	REATED (D)	OKI ED (P)			···		GRAD	E: ASTM	A269-10/	A213-11A TP30	24/2041
CHEM	IICAL CO	ONTENT	S (WT%)	TOTAL ED / PI	CKLED / PL	AIN END/C	D POLISH	ED 240 G1	RIT.	HEAT	NO. (V)20)9195	11711150	74/304L
ELEM	ENTS		C	1 1										
SPECI	FICATIO	N	≤ 0.03	M		P S			Si		Ni	Cr	- - - - - - - - - -	
	TS (LA		0.025			0.045	≤ 0.030	30 ≤1.0		1 8	3.0~12.0	18.0~20	10	
	(0.023	0.7	4	0.040	0.005	(0.38		8.07	18.11		
					I	PHYSICA	L PROP	PERTIE	g			10.11		
I	Dimensio	ns				7		T T T T T T T T T T T T T T T T T T T			· · · · · · · · · · · · · · · · · · ·			
O.D (inch)	W.T (inch)	Length (feet)	Bundle No.	Pieces	Weight (kg)	0.2%YS (Mpa) ≥205	TS (Mpa) ≥515	EL (%) ≥35		RING EST	FLATT)		HARDNESS HRB	EDDY CURRENT
5/8	0.083	20	P12-5-201	100	441	295			ļ				≤80	TEST- (100%)
1 1/4	0.065	20	Z12-5-102	75	566		660	67.0		OK	OI	<	75	OK
3/4	0.049	20	P12-5-290	100		260	680	66.5)K	Ok		75	OK
1/2	0.095	20	Z12-5-106		337 392	270	665	64.0	C	K	OK		75	
			212-3-100	212-5-106 30		245	670	69.5	0	K	OT			OK
AZI3-1 1 COM OLUTI	ASTM A 0 EXCE PLIANC ON HEA	PT AVG V E TO NA T TREAT	ASTM A213-11 VALL CE MR0175/IS MENT :1050°C PERFORMED	O 15156-20	03	THE PUR 2.THE CE THE WRIT	CHASE C RTIFICA TTEN AP	RDER (FE SHA) PROVAT	OR CO	NTRA OT BE	MATERIA RE IN CO CT REPRODU	L DESCH	76 RIBED HEREINICE WITH TH	E TERMS OF
REE FI OUNTI	ROM ME RY OF O	RCURY (RIGIN: C ELT: CHI	CONTAMINAT HINA	T E S AUG	METALS 3 2 4 2012 EPTED BY	R E P O R	T CRYS	AGERC	ace i vel)	PIPE C	O.,LTD	ANCE DE	EPARTMENT	

MILL TEST REPORT

Purchaser.: TW ME Contract No.: TWM	PONo · M	0204460	·				Certificat	e No.: 13-3-9				11		
Commodity: Stainle	se Steel Com	9283468				I	ate of Is	sue.: 2013.3.6						
Process: Cold Drawn	a picel Sean	lless Tubes	Spe	cifica	tions	: AS	TM A21:	3-11a/ASME S	A2	13-08/AST	M 4260	7.0 Ti 1995		
						Ď	elivery (Condition: Of	Po	lished to 2	10 C	TOBAW		
Steel Grade Heat Number				Lot Number		-	Dimen		Quantity					
TP304/TP304L	TP304/TP304L YX1203-506			1-58		3/4" x 0.049" x 20'				Pieces 250	Quantity (ft)			
		C	emical	Com	moit		by Weigh	"	_	230		5,000		
Element	С	Mn		P		_		it (%)	т					
Requirements	≤0.035 ≤2.00				S		Sì	Cr	丄	Ni	Mo	Co		
adle Analysis	0.019	0.77	€0.045 0.030		≪0.		≤1,00	18.00-20.00 8		.00-12.00		1		
Product Analysis	0.024	0.77	-		0.00	_	0.38	18.37		8.08	 	 		
The second secon	0.024	0.82	0.03	34	0.00	1	0.37	18.32		8.88	 	 		
	γ		M	echan	rical I	rop	erties		-					
Test Item Elongation (% in 2")								Strength (MPa)			Viald Street Com			
equirements		≥35		R				Rm			Yield Strength (MPa) Rp / 0.2%			
est Results		61/62						<u>≥515</u>			≥205			
Test Item		n of Area	-	- 16			620/630 Cold Bend Flaring			260/270				
equirements	Z (%)		Hardness		l .	Test	Flaring Test	Flattening Test		Flange	P.M.I.			
est Results			HRB≪80		30	·		22%		=0.09	Test	Test		
Test Item	7111				5/77			Passed	_ ;	Passed		OK		
Eddy Current 1est		rent Test	Air Underwater Pressure Test			Ultrasonic Test		Intergranular						
quirements	ASTM	E 426			-		Lest	Corresion To			scohic TU	pection		
or Results Passed D 9001:2008 Certified by Moody International								ASTM A262]		End Cut	Appearance			
J 9001:2008 Carrifica	I ber Man d	V .					1	OK	i	OK I	C	K		

Additional Remarks:

- (1) All tubes annealed to above 1900 Deg F and water quenched below 800 Deg F in 3 minutes (2) All tubes tested per ASTM A1016-11a
- (3) Materials is NACE MR0103-2007 compliant (per Section 2.5)
- (4) Materials is NACE MR0175/ISO 15156-2003 compliant (per Section 4.2.1)
- (5) In Compliance with EN 10204-3.1
- (6) No weld repair performed
- (7) Free from mercury contamination
- (8) Billets melt and pipes/tubes manufactured in China
- (9) All tubes 100% PMI tested
- (10) All tubes 100% Eddy Current Test

CANNOT CERTIFY COMPLIANCE FAR BAA / DFARS BAA / FAR TAA



James Chi

We hereby certify that this report is true and correct.

Manager / Quality Control Department

Shanghai Pufa Stainless Steel Pipe Factory No. 59, Shuangye Road, Wanggang, New Pudong District, Shanghai, China

TW METALS MAY - 2 2013



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO20534

Purchase Order Date 7/11/2013 PO Print Date 7/11/2013

Page Number 1 of 1

Order From:

TW METALS PO BOX 933014

ALTANTA, GA 31193-3014 US

VU-TWM001

DART AEROSPACE LTD Ship To:

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Contact Name

Vendor Phone

585 768 5600

Buyer

Chantal Lavoie

Customer POID Customer Tax #

10127-2607

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

Yours ppd

Terms Currency Net 30

USD

FOB

Destination-Collect

List Price Disc

Discounted

Unit Price

Reference Line Nbr Vendor Part Number **Line Comments Delivery Comments**

M6061T6T0.3125W.058

ALUM TUBE .3125 x

Description/

Mfg ID

.058w

Promise Date

7/18/2013

Yes

Req Date/ CD

Taxable

Ne 5 204

Req Qty/

Unit of

Measure

200.00

\$500.00

Extended

Price

MATERIAL: 6061-T6/62/6510/T6511 SEAMLESS TUBING AS PER WW-T-700/6 OR QQ-A-200/8 OR QQ-A-225/8 OR AMS 4080 OR AMS 4082 OR AMS 4083 OR ASTM B210 OR ASTM B241

7/18/2013

Line Total:

\$500.00

M304TR0.750W.049

304 RD Tube .750 x .049W

7/18/2013

Yes

160.00

\$360.00

AISI 304/316 SS SEAMLESS ROUND TUBING AS PER ASTM A210/ASME SA213 OR ASTM A269

7/18/2013

Line Total:

\$360.00

PO Total:

\$860.00

Note: Pricing listed above is as per contract agreement between Dart Aerospace and the respective manufacturer.

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required 4

7/11/2013

Change Nbr:

Change Date: